Coastal Zone Information Center

Property of the Dilpary

TD 195

•E5

F562

1981

££8 , 0,1908

FINAL REPORT

COASTAL ENERGY IMPACT PROGRAM

Contract Number 80-63

A Continuation of the Biological Inventory of the Coastal Zone in Lucas, Wood, Ottawa, Sandusky, Erie, Lake, and Ashtabula Counties to Determine Locations of Significant Plant Species, Plant Communities and Natural Areas which are Threatened Due to New or Expanding Energy Facilities or Activities

U.S. DEPARTMENT OF COMMERCE NOAA COASTAL SERVICES CENTER 2234 SOUTH HOBSON AVENUE

Submitted to:

CHARLESTON, SC 29405-2413

Ohio Department of Energy Coastal Energy Impact Program 30 East Broad Street, 34th Floor Columbus, Ohio 43215

COASTAL ZONE
INFORMATION CENTER

By:

Ohio Department of Natural Resources
Division of Natural Areas and Preserves
Fountain Square, Building F
Columbus, Ohio 43224

February 13, 1981

TD 195 .E5 F562 1981

PROJECT STAFF

Ohio Department of Natural Resources Division of Natural Areas and Preserves

Dennis M. Anderson - Research Coordinator
Barbara K. Andreas - Field Botanist, C.E.I.P.
Nneka Atiba - Business Coordinator
David M. Brandenburg - Field Botanist, C.E.I.P.
Allison W. Cusick - Staff Botanist
Anne R. Filbert - Data Processing Specialist
Patricia D. Jones - Data Systems Supervisor
Susan E. Laverty - Secretary
Robert M. McCance, Jr. - Project Administrator
Richard E. Moseley, Jr. - Division Chief
J. Steven Shelly - Data Processing Intern

ACKNOWLEDGMENTS

The Ohio Department of Natural Resources, Division of Natural Areas and Preserves, wishes to thank the staff of the Ohio Department of Energy for the assistance they provided in the implementation of this project. In addition, this project would not have been possible without the support and cooperation of the Ohio Coastal Zone Management Section. Special thanks are due to the many landowners who granted permission for Division staff to survey their property.

This document was funded in part through the Coastal Zone Management Act of 1972, as amended (Coastal Energy Impact Program), provided by the U. S. Dept. of Commerce, NOAA, through the Ohio Department of Energy.

TABLE OF CONTENTS

	Page Number
PROJECT STAFF	i
ACKNOWLEDGMENTS	ii
TABLE OF CONTENTS	iii
INTRODUCTION	1
DATA COLLECTION SYSTEM	3
SURVEY RESULTS	5
FEDERALLY LISTED SPECIES	8
MANAGEMENT CONSIDERATIONS	9
PROTECTION STRATEGY	10
SUMMARY AND CONCLUSIONS	12
APPENDICES	
A. PROJECT AUTHORIZATION LETTER	13
B. RARE SPECIES OF NATIVE OHIO WILD PLANTS	15
C. COUNTY LISTS OF RARE PLANTS OF THE COASTAL ZONE	37
D. OHIO PLANTS OF FEDERAL CONCERN	43
E. ADMINISTRATIVE RULES FOR O.R.C. CHAPTER 1518	45
F. DATA SERVICES BROCHURE AND APPLICATION FORM	47

INTRODUCTION

The Coastal Energy Impact Program (CEIP), created by a 1976 amendment to Section 308 of the U.S. Coastal Zone Management Act of 1972, is a federally funded program designed to assist coastal states and units of local government in mitigation of on-shore effects of new or expanding coastal energy activity. The Ohio Department of Energy has responsibility for development, implementation, and administration of Section 308 CEIP within the State of Ohio.

On July 1, 1979, the Ohio CEIP provided a Planning Grant of \$22,294 in federal funds to the Division of Natural Areas and Preserves (DNAP). Planning grants are awarded on an 80% federal/20% non-federal funding basis. These grants may be used to defray costs of study and planning for economic, environmental, or social impacts occurring or likely to occur in the coastal zone as a result of the siting, construction, expansion, or operation of new (since July 26, 1976) or expanded energy facilities.

On June 12, 1980, the Ohio CEIP provided written authorization to proceed with a second CEIP Planning Grant, Number 80-63, "A Continuation of the Biological Inventory of the Coastal Zone in Lucas, Wood, Ottawa, Sandusky, Erie, Lake and Ashtabula Counties to Determine Locations of Significant Plant Species, Plant Communities and Natural Areas which are Threatened Due to New or Expanding Energy Facilities or Activities." This grant of \$12,910 was intended to be the spring and early summer equivalent of the 1979 grant, which covered the field season beginning on August 6, 1979. As originally proposed, the field survey portion of the 1980 project would have been initiated in mid-April. Due to difficulties encountered in acquiring formal federal approval, the Division was not authorized to initiate the project until June 12, 1980. Field surveys were conducted until mid-September.

Reviewers of this report should refer to the final report for CEIP Contract Number 79-16, dated December 28, 1979, for additional information relating to the overall coastal zone study.

This final report is intended to supplement the 1979 project report and to provide information which was unavailable for the 1979 report. This report does provide a listing of state official endangered and threatened plant species known to occur in the Ohio coastal zone. However, this report does not provide details about rare plant occurrences, relative quality or location of the most significant plant communities or natural areas, or Division strategy for future preservation efforts of specific sites. Accurate, detailed information can be provided to legitimate data users through the Natural Heritage Program data services system. This system will provide the data user with the most current information available.

DATA COLLECTION SYSTEM

Data on endangered species and significant natural plant communities in the Lake Erie coastal zone were obtained from all major available sources to the level of detail allowed by funding and time limitations of the 1979 contract. Data sources included herbarium specimens, literature records, knowledgeable individuals, and original field work. These data were organized by the data processing systems of the Natural Heritage Program within the Ohio Department of Natural Resources, Division of Natural Areas and Preserves.

Most of the preexisting endangered species data pertaining to the Lake Erie coastal zone had been obtained by the Natural Heritage Program prior to work on the 1979 CEIP contract. These data were refined, updated and reorganized to assist field survey efforts on the project and to make the data more useful to the Division. Attempts then were made to validate these records in the field during 1979 and 1980.

Most of the new or improved data obtained by the Division of Natural Areas and Preserves was a result of the efforts of the field botanists. Mr. David Brandenburg worked part-time on the western basin (Lucas to Erie counties) from May 12 (prior to the approved starting date of the project) until August 24. Dr. Barbara K. Andreas worked part-time on the eastern basin from May 12 (prior to the approved starting date of the project) until September 19. These people were assisted by Mr. Allison Cusick, staff botanist for the Natural Heritage Program. The pre-contract field work was conducted at the expense of the Division and that data also is included in this report.

Confronted with the formidable task of surveying as much of the coastal zone as possible, the field botanists concentrated on areas where previous records, literature and personal leads, probable habitats, and intuition directed them. Their primary goal was the location of endangered plant species, with possibly significant plant community stands being recorded when

encountered. Specimens of state endangered, threatened, and potentially threatened species were obtained when populations were large enough to warrant collection. Specimens were deposited primarily at the herbarium of The Ohio State University, with duplicates, when collected, usually being deposited at Kent State University and/or Miami University. Sight records (versus collection records) were made for very small populations and for populations of species already represented by adequate collections in given areas.

All endangered species occurrence data were organized into the Natural Heritage Program data processing system. Each record was checked for completeness and accuracy of information, and then mapped and entered into computer storage. Such storage allows easy access to, alteration of, and addition to the data contained on the Lake Erie coastal zone. This data system made it possible to generate the species lists attached as appendices to this report.

SURVEY RESULTS

The Lake Erie coastal zone contains numerous locations of state endangered and threatened plants, as well as many significant plant communities and natural areas. Previous data collection efforts in the coastal zone have been extensive when compared to efforts in other parts of Ohio, yet there were a number of areas which required additional surveys. This project provided an opportunity for the Division of Natural Areas and Preserves to verify older data and to improve upon vague or inaccurate information about the early summer flora of the coastal zone.

Many previously known locations of rare plants were surveyed and verified as a result of this project. Older records were updated, improved and reconfirmed. New locations for rare plants were discovered and better population data was obtained on known sites. It is not possible to give exact statistics on the number of new rare plant occurrences identified as a result of the 1980 CEIP project because it is not always possible to determine whether an old, vague record is being updated and improved, or whether a previously unreported occurrence has been discovered.

Research efforts in the coastal zone as a result of the 1979 CEIP contract resulted in 161 new and/or improved records of rare plant occurrences being added to the Natural Heritage Program data base. The 1980 CEIP contract research, as well as data collected by Division staff from early May until June 12, 1980, provided approximately 50 records of rare plant occurrences being added to the Natural Heritage Program data base. Of particular significance was the discovery of one and possibly two presumed extirpated plant species in the coastal zone during 1980.

A list of the rare plants of Ohio is attached as Appendix B of this report. Of the 565 Ohio species considered endangered, threatened, or potentially threatened, 116 are documented as occurring in the Lake Erie

coastal zone. Species known to occur in the coastal zone are indicated in the species list (Appendix B). Appendix C provides a list of rare plant species occurring in the coastal zone by county. This data should be especially beneficial for environmental impact assessment purposes and may be considered accurate as of January 1, 1981.

It is anticipated that the state's official lists of endangered and threatened plants will be amended in November, 1981. In addition, field surveys will be conducted throughout the state in 1981, and it is likely that additional rare plant occurrences, and perhaps additional species, will be found in the Lake Erie coastal zone in 1981.

Of the 116 species currently documented as occurring in the coastal zone, 19 are classified as endangered, 53 as threatened, and 43 as potentially threatened. One plant is currently classified as presumed extirpated on the state's official list. Its status will be changed when the rules implementing O.R.C. Chapter 1518 are revised. Table I provides a breakdown of the species totals by county.

Table I:	Rare Plants of		Zone: Species Status in Ohio	Totals by County	
County	Total # Species	Endangered	Threatened	Potentially Threatened	(Previously) Presumed Extirpated
Ashtabula	26	2	1 1	13	0
Cuyahoga	14	1	4	9	0
Erie	48	1	25	22	0
Lake	15	1	4	10	0
Lorain	3	0	0	3	0
Lucas	25	3	8	13	1
Ottawa	84	14	38	31	1
Sandusky	2	1	0	1	0
Wood	0	0	0	0	0
Coastal					
Zone Tota	1 116	19	53	43	1

In the 1979 CEIP project, five specific sites were surveyed at the request of the Coastal Energy Impact Program Administrator. Three of these areas were either adequately surveyed in 1979 or held an extremely low possibility of additional rare plant occurrences being found. The other two areas were revisited in 1980, but no significant new data was obtained.

It is important to note that the data presented in this report represents the total data base on the coastal zone and not just data collected as a result of the 1980 CEIP project.

FEDERALLY LISTED SPECIES

The U.S. Fish and Wildlife Service currently lists (<u>Federal Register</u>, Vol. 45, No. 242, December 15, 1980) one Ohio plant as threatened and fifteen as under consideration for listing as endangered or threatened. According to the Fish and Wildlife Service, consideration should be given to all sixteen of these plants in environmental planning. The list is attached as Appendix D.

Of these sixteen plants, eleven are currently known to occur in Ohio, and five are presumed extirpated from the state. Four, and perhaps five, of these plants historically occurred in the coastal zone, and two are currently known to occur there. One additional plant, the Beach Sumac (Rhus trilobata var. arenaria), may have been rediscovered as the result of the 1980 CEIP project, but the specimens were found too late in the year for accurate identification. These plants will be checked in May, 1981, and proper identification will be made. The sumac is currently listed as presumed extirpated from Ohio.

The Lakeside Daisy (<u>Hymenoxys acaulis</u> var. <u>glabra</u>) and the Prairie White-fringed Orchid (<u>Platanthera leucophaea</u>) are currently known to exist in the coastal zone. The orchid was presumed extirpated from Ohio until 1980, when it was rediscovered in the western basin of the coastal zone. Hill's Pondweed (<u>Potamogeton hillii</u>) historically occurred in the coastal zone in Ashtabula County, but the site has been thoroughly altered and it is extremely unlikely that this plant will be rediscovered. The Heart-leaved Plantain (<u>Plantago cordata</u>) once occurred in Erie, Lorain, and Lucas counties, but existing locational information is not adequate to determine whether it was actually in the coastal zone.

MANAGEMENT CONSIDERATIONS

All of the endangered, threatened and potentially threatened plant species occurring in the coastal zone are significant elements of Ohio's natural heritage and should be protected whenever possible. If priorities must be set, the greatest protection efforts should be extended to those species whose population levels are critically low or in greatest danger of destruction.

It is impossible in this stage of the art to list sophisticated management techniques appropriate for each endangered or threatened species found in the coastal zone. Such will require detailed observations and experimental studies of each species' needs and limitations for soil types, water quality and quantities, microclimate conditions and extremes, effects of associated species, pollinators, critical population sizes for outcrossing, and other important factors. Nevertheless, much, if not most, protection may be afforded by simply using common sense.

One generality which usually applies is that a species will be protected best by maintaining those habitat conditions in which it currently thrives, or at least survives. This, of course, assumes that the species is also protected from destructive humans. The habitat conditions in which a species thrives, however, are not always apparent. Hence, we have no good alternative but to attempt to maintain those conditions in which we think a population is thriving, until we know otherwise.

It will be many years before significant action is taken on most of the identified endangered and threatened plant locations, but is is likely that action will be taken on the several species in greatest need of protection. In general, the Division of Natural Areas and Preserves will concentrate its efforts on the highest quality natural areas in the coastal zone which require additional protection.

PROTECTION STRATEGY

Although research efforts concentrated on rare plant species in 1980 as it did in 1979, significant plant communities and natural areas also were studied as part of this project. One previously unknown area of statewide significance was discovered as a result of this study, and information was collected which has aided the Division of Natural Areas and Preserves in the continuing evaluation of coastal zone plant communities and natural areas. There has been no significant change in the level of protection afforded these areas since the 1979 report was developed. Significant areas are protected by several divisions of the Ohio Department of Natural Resources, by the U.S. Fish and Wildlife Service, by local government, and by private organizations such as the hunting clubs of the Sandusky Bay area. There remain several areas in the coastal zone which require additional or increased protection. The Division will continue to concentrate preservation efforts on the most significant areas in greatest need of additional protection.

The Division of Natural Areas and Preserves has provided some protection to endangered and threatened plant species in the coastal zone and statewide by implementing Ohio Revised Code Chapter 1518 (endangered plant law) on July 1, 1980, and by making information available through the heritage program data services system. This system provides information to developers, consultants, local governments and others at a level of detail which previously was unavailable. In addition, the DNAP has contacted some of the owners and/or managers of significant areas to inform them of the value of the natural features on their property. Where possible, the DNAP will assist these landowners in the development of management plans designed to protect the natural features on their property. The DNAP will work with the owners of the most significant areas in an attempt to provide the greatest level of protection possible to these areas.

The attitude and interests of the landowner are of paramount importance in determining the actions taken by the Division. The DNAP believes it is essential that the landowner be the first to hear of the Division's concern for the natural features on their property. Protection efforts generally are more successful if the landowner is provided an accurate description of the Division's interest from the Division rather than from a third party.

Natural area protection can take several forms, all of which have different costs and benefits for both the landowner and the Division. Usually some protection is provided by merely notifying the landowner of the natural value of their property and encouraging its preservation. This, at least, prevents the unintentional destruction of valuable natural lands. The Division can work with landowners to develop management plans which are both compatible with natural feature preservation and limited use by the landowner. Conservation easements can provide some protection while allowing the landowner to maintain certain rights and privileges of ownership. There are also substantial tax advantages to the landowner who agrees to protect the natural value of the property on a long term basis. Dedication as a state nature preserve under the Ohio Natural Areas Law provides the best possible protection for a natural area in Ohio.

The preservation technique selected by the landowner should be determined on a case-by-case basis after exploring all alternatives. Additional information and technical assistance can be obtained from the Division.

SUMMARY AND CONCLUSIONS

The Ohio Department of Natural Resources, Division of Natural Areas and Preserves, by means of a planning grant from the Ohio Department of Energy, Coastal Energy Impact Program, conducted an early summer survey of endangered, threatened, and potentially threatened plant species; significant plant communities; and natural areas in the Lake Erie coastal zone in 1980. Data were obtained primarily from staff field surveys.

Numerous additional records of rare plant species were identified as a result of these field surveys. Some additional information was collected on the relative quality of plant communities and natural areas in the coastal zone. Surveys were conducted on several areas previously identified as requiring greater protection than is currently afforded. Specific sites of concern to the Coastal Energy Impact Program were surveyed and evaluated for early summer flora.

Information collected via the Coastal Energy Impact Program planning grant assisted the Division in the development of the endangerment status for plants under Ohio Revised Code Chapter 1518 (Endangered Plant Law). Reasonably accurate data is now available on the rare plants of the Lake Erie coastal zone. This information should be of great value in environmental impact assessment and development project planning.

Data collected during 1980 and earlier will be made available to concerned entities through the Natural Heritage Program data services system.

The Ohio Department of Natural Resources, Division of Natural Areas and Preserves, commends the Ohio Department of Energy, Coastal Energy Impact Program, for its concern for endangered plant species, plant communities and natural areas in the coastal zone.

APPENDIX A

PROJECT AUTHORIZATION LETTER



James A. Rhodes GOVERNOR

Robert S. Ryan DIRECTÓR

30 East Broad Street 34th Floor Columbus. Ohio 43215 (614) 466-1805

June 12, 1980

ALL ODOE/CEIP Contractors TO:

Michael Adams, Jacqueline Bird Jacqueline T. Kird FR:

Authorization to Commence Work Under CEIP Grants RE:

This memorandum is to serve as written permission for your agency to begin work outlined in your Ohio Department of Energy (ODOE) contract under the Coastal Energy Impact Program. "June 12, 1980" will be the official commencement date entered on your contract. To allow adequate time for project completion, the "February 28, 1981" deadline date will be extended by formal contract modification in the near future.

In regard to invoices submitted by your agency to ODOE:

- 1) All invoices must be submitted using the ODOE "Request for Payment" and "Financial Statement" forms (copies enclosed). The Request for Payment form must bear an original signature by an appropriate authority;
- 2) All invoices must have documentation of expenditures attached, i.e., copies of time sheets, travel receipts, subcontractor invoices, etc. No reimbursement can be made without full documentation;
- 3) The first invoice should be accompanied by a statement certifying that amounts reported as staff salaries represent the actual amounts paid to staff. ODOE should be notified of any subsequent changes.

Be aware that all CEIP grants will be audited upon project completion. In anticipation of this, please assure that complete and accurate records are maintained including those regarding your required 20% match, if applicable.

The Contractor must comply with all guidelines as published in Office of Management and Budget Circular A-102, "Uniform Administrative Requirements for Grants-in-Aid to State and Local Governments";

cont'd...

-2-Authorization to Commence Work

General Services Administration Federal Management Circular FMC 74-4, "Cost Principles Applicable to Grants and Contracts with State and Local Governments"; General Services Administration Federal Management Circular FMC 73-2, "Audit of Federal Operations and Programs by Executive Branch Agencies"; and any other applicable guidelines or regulations.

ODOE recognizes the inconveniences caused by the excessive length of the federal approval process and is attempting to alleviate them. Federal regulations state that OCZM review shall take 45 days. ODOE submitted its projects application to the U.S. Office of Coastal Zone Management/CEIP on December 15, 1979 and received approval on May 19, 1980. State encumbrance procedures were then initiated and are now complete.

We look forward to working with you on these projects. If there are any questions on this or any other matter pertaining to CEIP, please contact us at 614/466-1088.

Attachments

APPENDIX B

RARE SPECIES OF NATIVE OHIO WILD PLANTS



DIVISION OF NATURAL AREAS & PRESERVES Fountain Square • Columbus, Ohio 43224 • (614) 466-7803

March, 1980

RARE SPECIES OF NATIVE OHIO WILD PLANTS

The attached list represents a tabulation of Ohio endangered, threatened, potentially threatened, and presumed extirpated vascular plant species as determined by the Division of Natural Areas and Preserves' Natural Heritage Program on the indicated date. The list was compiled pursuant to Ohio Revised Code Chapter 1518 which directs the Chief of the Division of Natural Areas and Preserves to adopt criteria and lists of plants endangered or threatened in the state. The Division gratefully acknowledges the cooperation and assistance of the Ohio Biological Survey Endangered Species and Population Committee in the development of this list.

The potentially threatened and presumed extirpated species are listed for scientific and public education purposes. Rare hybrids are included on this list, but are not considered special plant species in the Natural Heritage Program data base.

The species are listed by family according to classic phylogenetic order. Nomenclature is generally that of M.L. Fernald, 1950, Gray's Manual of Botany, eighth edition. Where more recent names are employed, applicable synonyms in Fernald are indicated in parentheses. A column marked "Code No." indicates data processing numbers utilized by the Natural Heritage Program. The columns marked "US" and "OH" indicate status levels of the species as assigned by the U.S. Fish and Wildlife Service and by the Ohio D.N.R., Division of Natural Areas and Preserves. Status codes are as follows:

X - Presumed Extirpated PT - Proposed Threatened (Fed. status)

E - Endangered P - Potentially threatened

PE - Proposed Endangered (Fed. status) H - Hybrid

T - Threatened

This list will be updated annually as new data become available. Revised lists should be available in April of each year. Rules governing endangered and threatened plants are available from the Division of Natural Areas and Preserves.

Questions should be directed to the Natural Heritage Program in the Division of Natural Areas and Preserves.

DESIGNATION CRITERIA

<u>Endangered Species</u>: A native Ohio plant species may be designated endangered if, based on its known status in Ohio, one or more of the following criteria applies:

- (1) The species is a federal endangered species extant in Ohio.
- (2) The natural populations of the species in Ohio are limited to three or fewer sites, each of which is one square mile or less in area and is separated from each of the other sites by at least two linear miles.
- (3) The distribution of the natural populations of the species in Ohio is limited to a geographic area delineated by one or two United States Geological Survey 7.5 minute quadrangle maps.
- (4) The total number of plants in all the natural populations of the species in Ohio is limited to one hundred or fewer individual, physically unconnected plants.

<u>Threatened Species</u>: A native Ohio plant species may be designated threatened if, based on its known status in Ohio, one or more of the following criteria applies:

- (1) The species is a federal threatened species extant in Ohio but not on the state endangered species list.
- (2) The natural populations of the species in Ohio are limited to no less than four nor more than ten sites, each of which is one square mile or less in area and is separated from each of the other sites by at least two linear miles.
- (3) The distribution of the natural populations of the species in Ohio is limited to a geographic area delineated by no less than three nor more than five United States Geological Survey 7.5 minute quadrangle maps.

<u>Presumed Extirpated Species</u>: A native Ohio plant species may be designated presumed extirpated when no natural populations of the species are known to occur in the state.

<u>Potentially Threatened Species</u>: A native Ohio plant species may be designated potentially threatened if it qualifies for one or more of the following criteria.

- (1) The species is extant in Ohio and does not qualify as a state endangered or threatened species, but it is either
 - a proposed federal endangered or threatened species or a species listed in the <u>Federal Register</u> as under review for such proposal, and/or
 - b. a species protected under the Convention on International Trade in Endangered Species of Wild Fauna and Flora.
- (2) The natural populations of the species are imperiled to the extent that the species could conceivably become a threatened species in Ohio within the foreseeable future.
- (3) The natural populations of the species, even though they are not threatened in Ohio at the time of designation, are declining in abundance or vitality at a significant rate throughout all or large portions of the state.

DIVISION OF NATURAL AREAS AND PRESERVES NATURAL HERITAGE PROGRAM Special Plants

Pteridophytes		COASTAL	
	Code No.	ZONE COUNTIES	<u>OH</u>
LYCOPODIACEAE. Clubmoss Family Lycopodium inundatum, Bog Clubmoss	.EA F46		P
SELAGINELLACEAE. Spikemoss Family Selaginella rupestris, Rock Spikemoss	.EY F47		T
ISOETACEAE. Quillwort Family Isoetes engelmannii (I. engelmanni), Appalachian Quillwort	.EB 359 .EB F48		E X
EQUISETACEAE. Horsetail Family Equisetum sylvaticum, Woodland Horsetail Equisetum variegatum (E. variegatum var. variegatum),	.EZ A07		T
Variegated Scouring-rush	EZ F50	0	P
Nelson's Scouring-rush	.EZ F51		Н
Jesup's Scouring-rush	.EZ F52		Н
OPHIOGLOSSACEAE. Adder's-tongue Family Botrychium biternatum (B. dissectum var. tenuifolium; see Gleason and Cronquist), Sparse-lobe Grape-fern. Botrychium lanceolatum, Triangle Grape-fern. Botrychium multifidum, Leathery Grape-fern. Botrychium simplex (including varieties & formae), Least Grape-fern. Botrychium ternatum (not in Fernald 1950; see Wherry 1961), American Ternate Grape-fern. Ophioglossum engelmannii (O. engelmanni), Limestone Adder's-tongue.	EC 082 EC F54 .EC F55		E E E E
SCHIZAEACEAE. Curly-grass Family Lygodium palmatum, Climbing Fern	.ED 429		P
ADIANTACEAE (POLYPODIACEAE). Maidenhair Family			
Vittaria lineata (not in Fernald 1950; see Wagner & Sharp, 1963), Appalachian Gametophyte	EF B08		T
HYMENOPHYLLACEAE. Filmy Fern Family Trichomanes boschianum, Appalachian Filmy Fern	EE 726		Ε

<u>c</u>	ode No.		<u>0H</u>
POLYPODIACEAE. Polypody Family Polypodium polypodioides, Little Gray PolypodyE	F F69		Ε
ASPLENIACEAE (POLYPODIACEAE). Spleenwort Family Asplenium bradleyi, Bradley's Spleenwort	F F58		E P X
var. subtenuifolium), Wall-rueE	F 065		T
Asplenium X clermontae (not in Fernald 1950; see Wherry 1961), Miss Clermont's SpleenwortE Asplenium X ebenoides (X Asplenosorus ebenoides),	F F59		Н
Scott's Spleenwort	F F60		Н
Unexpected SpleenwortE Asplenium X kentuckiense (not in Fernald 1950; see	F F61		Н
Wherry 1961 under A. X Kentuckyense), Kentucky SpleenwortE Asplenium X trudellii (X A. trudelli), Trudell's	F F62		Н
SpleenwortE Cystopteris X tennesseensis (not in Fernald 1950; see	F 066		Н
Wherry 1961), Tennessee Bladder FernE	F 209		Н
Dryopteris clintoniana (D. cristata var. clintoniana), Clinton's Wood Fern			E H
Dryopteris X pittsfordensis (not in Fernald 1950; see Wherry 1961), Pittsford Wood FernE	F B10		Н
Dryopteris X slossonae (not in Fernald 1950; see Wherry 1961), Miss Slosson's Wood FernE Dryopteris clintoniana (D. cristata var. clintoniana)	F F 66		Н
X Dryopteris goldiana	F F67 F F68		H H
Gymnocarpium dryopteris (Dryopteris disjuncta), Oak FernE	F 296		Т
Phegopteris connectilis (Thelypteris phegopteris; Dryopteris phegopteris), Long Beech-fernE Woodsia ilvensis, Rusty WoodsiaE			P X
BLECHNACEAE (POLYPODIACEAE). Blechnum Family Anchistea virginica (Woodwardia virginica), Virginia Chain-fern			P E
Gymnosperms	170		L
dynmosperms			
PINACEAE. Pine Family Larix laricina, TamarackF. Pinus echinata, Yellow PineF.	A 377 A 775		P P
CUPRESSACEAE (PINACEAE). Cypress Family Juniperus communis (including varieties) Ground Juniper. F Thuja occidentalis, Arbor Vitae F	C 371 C 776	0	T P

-3-

Angiosperms - Monocotyledons

<u>Cc</u>	ode No.	<u>•</u>	<u>OH</u>
SPARGANIACEAE. Bur-reed Family Sparganium androcladum, Keeled Bur-reedGE Sparganium chlorocarpum, Small Bur-reedGE	B A7 0 B 6 86	Lu	T E
POTAMOGETONACEAE (ZOSTERACEAE). Pondweed Family Potamogeton amplifolius, Large-leaved Pondweed. GG Potamogeton epihydrus, Nuttall's Pondweed. GG Potamogeton filiformis, Filiform Pondweed. GG Potamogeton friesii, Fries' Pondweed. GG Potamogeton gramineus, Grass-like Pondweed. GG Potamogeton hillii, Hill's Pondweed. GG Potamogeton natans, Floating Pondweed. GG Potamogeton perfoliatus, Red-head Pondweed. GG Potamogeton praelongus, White-stem Pondweed. GG Potamogeton pulcher, Spotted Pondweed. GG Potamogeton richardsonii, Richardson's Pondweed. GG Potamogeton robbinsii, Robbins' Pondweed. GG Potamogeton spirillus, Spiral Pondweed. GG Potamogeton strictifolius, Straight-leaved Pondweed. GG Potamogeton vaseyi, Vasey's Pondweed. GG Potamogeton vaseyi, Vasey's Pondweed. GG Potamogeton zosteriformis, Flat-stem Pondweed. GG	C F25 C H51 C H52 C H53 C H54 C H55 C H56 C H58 C H59 C H60 C H61	0, La, Lu A 0	PPEXEXTXEETETXEXT
NAJADACEAE. Naiad Family Najas flexilis, Slender Naiad			r P
Najas gracillima, Thread-like Naiad		, .	χ
JUNCAGINACEAE. Arrow-grass Family Scheuchzeria palustris, ScheuchzeriaGI Triglochin maritimum (T. maritima), Seaside Arrow-grassGI Triglochin palustre (T. palustris), Marsh Arrow-grassGI	E H62		E T. T
ALISMATACEAE. Water-Plantain Family Echinodorus rostratus, Bur-head	F A72 F H65 F H66 F 618	E.O, Lu	T P T T T
HYDROCHARITACEAE. Frog's-bit Family			
Vallisneria americana, Eel-grass	G H68	A,La,C,E,O Lu	P

	Code N	0.	<u>OH</u>
GRAMINEAE (POACEAE). Grass Family			
Agropyron trachycaulum, Bearded Wheat Grass	.GH 015	• •	P
Agrostis elliottiana, Elliott's Bent-grass			Ε
Ammophila breviligulata, American Beach Grass	.GH H69	A,La,C,E,O,Lu	T
Aristida purpurascens, Purple Triple-awned Grass	.GH H70)	Ţ
Calamagrostis inexpansa, Northern Reed-grass	.GH H71		Ε
Calamagrostis insperata (not in Fernald; see Braun),			_
Bartley's Reed Bent Grass			E
Cinna latifolia, Northern Wood-reed			E
Danthonia compressa, Flattened Wild Oat Grass			T E
Deschampsia caespitosa, Tufted Hairgrass			T
Deschampsia flexuosa, Crinkled Hairgrass Digitaria filiformis, Slender Finger-grass			
Erianthus alopecuroides, Silver Plume Grass			E E E
Glyceria acutiflora, Sharp-glumed Manna-grass			F
Glyceria borealis, Northern Manna-grass			X
Glyceria grandis, Tall Manna-grass			T
Glyceria melicaria, Long Manna-grass			Ρ
Glyceria pallida, Pale Manna-grass	.GH 292) -	P
Gymnopogon ambiguus, Beardgrass			Ē
Koeleria macrantha (K. cristata), Junegrass			Ţ
Leptoloma cognatum, Fall Witch-grass			Ţ
Melica nitens, Three-flowered Melic			E X
Muhlenbergia capillaris, Hairgrass			X
Muhlenbergia curtisetosa, Short-awned Mimble-will			Ê
Muhlenbergia cuspidata, Plains Muhlenbergia Panicum bicknellii, Bicknell's Panic-grass			X
Panicum boreale, Northern Panic-grass			Ë
Panicum calliphyllum, Tall Green Panic-grass			X
Panicum columbianum, American Panic-grass			Ť
Panicum depauperatum, Starved Panic-grass			P
Panicum laxiflorum, Pale Green Panic-grass			T
Panicum leibergii, Leiberg's Panic-grass			Χ
Panicum longifolium, Long-leaved Panic-grass	.GH H92	2	X
Panicum oligosanthes, Prairie Panic-grass	.GH H93	}	Ρ
Panicum philadelphicum, Philadelphia Panic-grass	.GH 488	3	P
Panicum verrucosum, Warty Panic-grass			Ē
Panicum villosissimum, Villous Panic-grass			E
Panicum yadkinense, Spotted Panic-grass	.UH B41	5	X
Paspalum setaceum, Slender Paspalum Poa languida, Weak Spear-grass	GH 520	, a	Î
Poa paludigena, Marsh Spear-grass	GH H97	, 1	X
Poa wolfii, Wolf's Bluegrass	GH H98	3	X
Schizachne purpurascens, False Melic	.GH B46	5	E
Sphonopholic phtusata Prairie Wedgegrass	.GH B48	3	Т
Sporobolus cryptandrus, Sand Dropseed	.GH H99	۲,Ε,Ο, ۱ مر Α, ۲ و	٠P
Sporobolus heterolepis, Prairie Dropseed	.GH 693	3	E.
Stipa avenacea. Blackseed Needle Grass	.GH B49	9	E
Stipa spartea. Porcupine Grass	.GH G67	7	E
Triplasis purpurea, Purple Sand-grass	.GH JU(JA, Ca, C, Co, E	P
		0,Lu	

	Code No	<u>•</u>	<u>0H</u>
GRAMINEAE (POACEAE). Grass Family (Cont'd.) Trisetum pensylvanicum, Swamp-oats Uniola latifolia, Wild Oats	GH JO2	0	T P T
CYPERACEAE. Sedge Family Carex aggregata, Crowded Sedge	GJ J03 GJ J04 GJ J05 GJ R57 GJ J06 GJ J07 GJ J08 GJ A14 GJ J09 GJ J10 GJ J11 GJ J12 GJ J13 GJ J13 GJ J14 GJ J13 GJ J15 GJ J15 GJ J17 GJ J20 GJ J21 GJ J22 GJ J23 GJ J24 GJ J25 GJ	A, La OA, O O E, O	PEEETEEETTXEPXPEETTX PEPXXEPEP EXTE
green Sedge	GJ E34 GJ J28 GJ B57 GJ J29 GJ J30 GJ A15 GJ J31 GJ J32		T T E E P T T X E

	Code No.	<u>0H</u>
CYPERACEAE. Sedge Family (Cont'd.)		
Carex meadii, Mead's Sedge	C1 P61	Т
Carex merritt-fernaldii, Fernald's Sedge	C1 133	χ̈́
Carex mesochorea, Midland Sedge	G1 R6/I	X
Carex muhlenbergii, Muhlenberg's Sedge	C1 124 🔿	P
Carex nigromarginata, Black-margined Sedge		
Carex oligosperma, Few-seeded Sedge		_
Carex ormostachya, Stiff Broad-leaved Sedge		E E T
		T
Carex pallescens, Pale Sedge	C1 P67	Ť
Carex pedunculata, Long-stalked Sedge	C1 A16	i P
Carex prairea, Prairie Sedge		T
		X
Carex pseudo-cyperus, Smaller Bearded Sedge	GU 03/	Ŷ
Carex retroflexa, Reflexed Sedge	C1 120	Ť
Carex retrorsa, Reflexed Bladder Sedge		X
Carex richardsonii, Richardson's Sedge	61 141	X
Carex rostrata, Beaked Sedge		Ŷ
		ť
Carex sartwellii, Sartwell's Sedge		Ť
Carex scabrata, Rough Sedge		Ť
Carex seorsa, Weak Bog Sedge		
Carex sprengelii, Sprengel's Sedge		E E
Carex sterilis, Fen Sedge		E
Carex straminea, Straw Sedge		X
Carex suberecta, Prairie Straw Sedge	61 R70	Ě
Carex X sullivantii, Sullivant's Sedge		H
		P
Carex tenera, Slender Straw Sedge		Ť
		P
Carex trichocarpa, Hairy-fruited Sedge		Ţ
Carex trisperma, Three-seeded Sedge		+
Carex viridula, Little Green Sedge		+
		Ť
Cladium mariscoides, Twig-rush		Ė
Cyperus acuminatus, Pale Umbrella-sedge	C1 152 F O / //	T
Cyperus diandrus, Low Umbrella-sedge	C1 154	Ë
Cyperus appallementi (C. angolmanni) Engolmannic	40 034	_
Cyperus engelmannii (C. engelmanni), Engelmann's	61 FA2 F 0 / "	P
Umbrella-sedge	G1 155	X
Cyperus lancastriensis, Many-flowered Umbrella-sedge	C1 156	Ť
Cyperus refractus, Reflexed Umbrella-sedge		Ť
Cyperus schweinitzii, Schweinitz's Umbrella-sedge		
Eleocharis compressa, Flat-stem Spikerush	61 877 5 5 4	P
Eleocharis elliptica, Yellow-seeded Spikerush	61 158 E	T
Eleocharis elitetta, fellow-seeded Spikerush		Ť
Eleocharis olivacea, Olivaceous Spikerush	G1 .159 C	Ť
Eleocharis pauciflora, Few-flowered Spikerush		Ė
Eleocharis quadrangulata, Four-angled Spikerush		Ť
Eleocharis quadrangulata, Four-angled Spikerush		P
Eleocharis Wolfii, Wolf's Spikerush		X
Eriophorum gracile, Slender Cottongrass	.GJ .163	X
El tophotum gracite, Diemaer Corcomgrass	. 40 000	•

	Code No.	<u>0H</u>
CYPERACEAE. Sedge Family (Cont'd.) Eriophorum virginicum, Tawny Cottongrass Eriophorum viridi-carinatum, Green Cottongrass Hemicarpha micrantha, Dwarf Bulrush Rhynchospora alba, White Beak-rush Rhynchospora globularis, Grass-like Beak-rush Scirpus expansus, Woodland Bulrush	GJ J64 GJ 317 GJ 600 GJ B78	T T E T E E
Scirpus purshianus, Pursh's Bulrush	GJ J65	T E E X T T
ARACEAE. Arum Family		
Arisaema stewardsonii, Swamp Jack-in-the-pulpit	GL J69	P P T
LEMNACEAE. Duckweed Family		
Lemna valdiviana, Pale Duckweed	GM 758	X T X
XYRIDACEAE. Yellow-eyed-grass Family Xyris difformis (X. caroliniana), Carolina Yellow-eyed- grass	GN J72 GN 766	X E
ERIOCAULACEAE. Pipewort Family Eriocaulon septangulare, White-buttons	GP 259	X
PONTEDERIACEAE. Pickerelweed Family Heteranthera reniformis, Mud-plantain	GR A20	χ
JUNCACEAE. Rush Family Juncus alpinus, Alpine Rush Juncus balticus, Baltic Rush Juncus greenei, Greene's Rush Juncus interior, Inland Rush Juncus platyphyllus, Flat-leaved Rush Juncus scirpoides, False Bulrush Juncus secundus, One-sided Rush Luzula bulbosa, Southern Woodrush	GS 367 A,O GS J75 GS J76 O,S GS B88 GS B89 € GS J77 €	T T T E T T T

	Code No	<u>).</u>	<u>OH</u>
Aletris farinosa, Unicorn-root. Clintonia borealis, Bluebead-lily. Clintonia umbellulata, Speckled Wood-lily. Disporum maculatum, Nodding Mandarin. Erythronium rostratum (not in Fernald 1950; see Braun 1967), Goldenstar. Lilium philadelphicum, Wood-lily. Lilium superbum, Turk's-cap Lily. Melanthium virginicum, Bunchflower. Nothoscordum bivalve, False Garlic. Smilacina trifolia, Three-leaved Solomon's-seal. Smilax illinoensis, Illinoian Smilax. Smilax lasioneura, Pale Carrion-flower. Smilax pulverulenta, Downy Carrion-flower. Stenanthium gramineum, Feather-bells. Streptopus roseus, Rose Twisted-stalk. Tofieldia glutinosa, False Asphodel. Trillium cernuum, Nodding Trillium. Trillium recurvatum, Prairie Wake-robin. Trillium recurvatum, Prairie Wake-robin. Trillium undulatum, Painted Trillium. Veratrum viride, White Hellebore. Veratrum woodii, Wood's Hellebore. Zygadenus glaucus (Zigadenus glaucus), Wand-lily.	.GT E85 .GT J80 .GT 223 .GT E86 .GT 398 .GT 769 .GT J81 .GT J82 .GT J83 .GT J84 .GT J85 .GT J86 .GT 704 .GT A24 .GT 732 .GT J87 .GT J88 .GT J88 .GT J89 .GT J89	0	PETT EPPTEXHPEPETXPEEPTT
AMARYLLIDACEAE. Amaryllis Family Agave virginica, American Aloe	.GV A25		Р
IRIDACEAE. Iris Family Iris brevicaulis, Leafy Blue Flag Iris verna, Dwarf Iris Sisyrinchium atlanticum, Atlantic Blue-eyed-grass Sisyrinchium montanum, Northern Blue-eyed-grass Sisyrinchium mucronatum, Narrow-leaved Blue-eyed-grass	.GX 357 .GX J92 .GX J93	E E,O	E E E T

	Code No	<u>).</u>	<u>0H</u>
ORCHIDACEAE. Orchid Family			
Arethusa bulbosa, Dragon's-mouth			E P
Orchid	GY 177 GY A27 GY 179		E P E E P
Cypripedium calceolus var. parviflorum, Small Yellow Lady's-slipper	GY 205		E
Lady's-slipper	GY K52 GY 206 GY K53 GY 328 GY 364 GY 404 GY 406 GY 439	A,E,O	P E T X E P P X P
Platanthera blephariglottis (Habenaria blephariglottis) White Fringed Orchid	GY 298		χ
Platanthera ciliaris (Habenaria ciliaris), Yellow Fringed Orchid	. GY 299		T
Platanthera clavellata (Habenaria clavellata), Green Woodland Orchid	. GY G95		T
Platanthera flava (Habenaria flava), Tubercled Rein- orchid	. GY 300		P
Platanthera hookeri (Habenaria hookeri), Hooker's	. GY AC9		X
OrchidPlatanthera hyperborea (Habenaria hyperborea), Tall	. GY K55		χ
Northern Green OrchidPlatanthera leucophaea (Habenaria leucophaea), Prairie			Х
Fringed OrchidPlatanthera orbiculata (Habenaria orbiculata), Large	. GY K57	Lu,0	X
Round-leaved OrchidPlatanthera peramoena (Habenaria peramoena), Purple	. GY 302		T
Fringeless OrchidPlatanthera psycodes (Habenaria psycodes var. psycodes)	,		P -
Small Purple Fringed Orchid			T T
Spiranthes lacera var. gracilis (Spiranthes gracilis), Southern Slender Ladies'-tresses	GY K63		P T
Spiranthes magnicamporum (not in Fernald 1950; see Luer 1975), Great Plains Ladies'-tresses Spiranthes ovalis, Lesser Ladies'-tresses Spiranthes romanzoffiana, Hooded Ladies'-tresses Spiranthes tuberosa, Little Ladies'-tresses	GY 691 GY K65	E,0	T T E P
Triphora trianthophora, Three-birds-orchid			T

-10-

Angiosperms - Dicotyledons

<u>Co</u>	de No.	<u>0H</u>
Populus balsamifera, Balsam Poplar	778 779 0,64 780 781 782 782 783 784 784 785	EXPTE XXE TTHX
MYRICACEAE. Bayberry Family Comptonia peregrina, Sweet-fernJH Myrica pensylvanica, BayberryJH		T E
BETULACEAE (CORYLACEAE). Birch Family Betula lenta, Sweet BirchJK Betula populifolia, Gray BirchJK Betula pumila, Swamp BirchJK Corylus cornuta, Beaked HazelJL	: K04 € : 791	P P T E
FAGACEAE. Beech Family Castanea dentata, American Chestnut	794 795 796	P X T T P
ULMACEAE. Elm Family Celtis tenuifolia, Dwarf HackberryJD Ulmus americana, American ElmJD Ulmus thomasii, Rock ElmJD	797	P P E
URTICACEAE. Nettle Family Pilea fontana, CoolwortJF Urtica chamaedryoides, Spring NettleJF	799 800	P E
VISCACEAE (LORANTHACEAE). Mistletoe Family Phoradendron serotinum (P. flavescens), American MistletoeMA	x X61	1
POLYGONACEAE. Buckwheat Family Polygonum careyi, Carey's SmartweedJT	801	X

	Code No.	ОН
POLYGONACEAE. Buckwheat Family (Cont'd.) Polygonum cilinode, Mountain Bindweed Polygonum pensylvanicum var. eglandulosum, Lake Erie	JT 802	E
PinkweedPolygonum ramosissimum, Bushy Knotweed	JT 803 E,O JT 804 O	T E
CHENOPODIACEAE. Goosefoot Family Chenopodium capitatum, Strawberry-blite Chenopodium leptophyllum, Slender Goosefoot	JQ 805 JQ 806 🔿	X E
AMARANTHACEAE. Amaranth Family Froelichia floridana, Cottonweed	JR 807	E
PORTULACACEAE. Purslane Family Claytonia caroliniana, Carolina Spring-beauty	JP 808 A	Т
CARYOPHYLLACEAE. Pink Family Arenaria patula, Spreading Sandwort Arenaria stricta (including varieties), Rock Sandwort Sagina decumbens, Southern Pearlwort Silene caroliniana var. pensylvanica, Carolina Catchfly Silene caroliniana var. wherryi, Wherry's Catchfly Silene nivea, Snowy Campion Silene regia, Royal Catchfly Silene rotundifolia, Round-leaved Catchfly	JN V96 ♥ JN 810 /JN 811 JN 811 JN 812 JN 669	E T X T E X E T
CERATOPHYLLACEAE. Hornwort Family Ceratophyllum echinatum, Prickly Hornwort	HG 813 🔿	Т
NYMPHAEACEAE. Water-lily Family Nuphar variegatum, Bullhead Lily	HF 814 O, Lu	E
RANUNCULACEAE. Buttercup Family Aconitum noveboracense, Northern Monkshood Actaea rubra, Red Baneberry	HH 816 HH 817 Lu,Ο	E E T X
Coptis groenlandica, Goldthread	HH 212 HH 819 €,⊘ HH 820	P T T E E
MAGNOLIACEAE. Magnolia Family Magnolia macrophylla, Bigleaf Magnolia		E T
CALYCANTHACEAE. Calycanthus Family Calycanthus fertilis, Sweet-shrub	HC 823	E
FUMARIACEAE (PAPAVERACEAE). Fumitory Family Adlumia fungosa, Mountain-fringe	JA 006 JA 186 <i>∽</i>	E T

- 16	Code No.	ОН
CRUCIFERAE (BRASSICACEAE). Mustard Family (Cont'd.) Arabis divaricarpa, Limestone Rock-cress Arabis drummondii, Drummond's Rock-cress Arabis hirsuta var. pycnocarpa, Western Hairy Rock-cress Arabis hirsuta var. adpressipilis, Southern Hairy Rock-	.KP 824 Lu .KP 825 O .KP 826 O	E E T
Arabis lyrata, Lyre-leaf Rock-cress	.KP 044	PPEXPPTPEETT
SARRACENIACEAE. Pitcher-plant Family Sarracenia purpurea, Pitcher-plant	.KE 627	P
DROSERACEAE. Sundew Family Drosera intermedia, Spathulate-leaved Sundew Drosera rotundifolia, Round-leaved Sundew	.KF 836 .KF 231	E P
SAXIFRAGACEAE. Saxifrage Family Heuchera parviflora, Small-flowered Alumroot. Heuchera villosa, Hairy Alumroot. Parnassia glauca, Grass-of-Parnassus. Ribes glandulosum, Skunk Currant. Ribes hirtellum, Smooth Gooseberry. Ribes lacustre, Bristly Black Currant. Ribes missouriense, Missouri Gooseberry. Ribes rotundifolium, Appalachian Gooseberry. Sullivantia sullivantii, Sullivantia.	.LB 838 .LB C62 .LB 840 .LB 841 .LB 842 .LB 843 .LB 844	T T P X P X X E P
ROSACEAE. Rose Family Agrimonia striata, Hairy Agrimony. Amelanchier laevis, Allegheny Serviceberry. Amelanchier sanguinea, Rock Serviceberry. Crataegus brainerdii, Brainerd's Hawthorn. Crataegus phaenopyrum, Washington-thorn. Crataegus uniflora, Dwarf Hawthorn. Dalibarda repens, Robin-run-away. Filipendula rubra, Queen-of-the-prairie. Geum aleppicum, Yellow Avens. Geum rivale, Water Avens. Gillenia trifoliata, Bowman's-root. Potentilla anserina, Silverweed. Potentilla fruticosa, Shrubby Cinquefoil. Potentilla palustris, Marsh Fivefinger. Potentilla paradoxa, Bushy Cinquefoil.	.LC C63 La .LC 847 .LC 848 .LC 849 .LC 210 .LC 270 .LC 284 E, Lu .LC 851 O .LC 290 .LC 852 A, La, C, E, O, Lu .LC C64 O .LC C65 .LC 853	TTTXXXEPPTTPE PTT

	Code No.	<u>OH</u>
ROSACEAE. Rose Family (Cont'd.) Prunus nigra, Canada Plum Prunus pumila, Great Lakes Sand Cherry Prunus susquehanae, Sand Cherry Pyrus angustifolia, Narrow-leaved Crab Pyrus decora, Western Mountain-ash Rosa arkansana, Arkansas Rose Rosa blanda, Smooth Rose Rubus hispidus var. hispidus, Large Hispid Dewbe	LC 858 LC 859 LC 860 LC 861 LC 862 LC A41 €,0	E X E X T E
Rubus idaeus var. strigosus, Wild Red Raspberry. Rubus pubescens, Dwarf Red Bramble Rubus trivialis, Southern Dewberry Sanguisorba canadensis, Canadian Burnet Spiraea latifolia, Northern Meadow-sweet Waldsteinia fragarioides, Barren Strawberry	LC C67 LC 863 LC C68 LC 864	P T X P X P
LEGUMINOSAE (FABACEAE). Pea Family Astragalus neglectus, Cooper's Milk-vetch Baptisia australis, Blue False Indigo Baptisia leucantha, Prairie False Indigo Clitoria mariana, Butterfly-pea Desmodium illinoense, Prairie Tick-trefoil Desmodium pauciflorum, Few-flowered Tick-trefoil Desmodium sessilifolium, Sessile Tick-trefoil Galactia volubilis, Milk-pea Lathyrus maritimus (L. japonicus var. glaber), 1	LD 077 LD X59 LD 866 LD 867 LD 868 LD 869 LD 870	X E T E T E E
Beach-pea	LD 871 4,C LD 872 LD 873 LD 874 LD 875 LD 876 LD 878	Τ Ε Χ Ρ Τ Τ Χ Χ
LINACEAE. Flax Family Linum sulcatum, Grooved Flax	LY 880 <i>O</i>	Р
OXALIDACEAE. Wood-sorrel Family Oxalis montana, White Wood-sorrel	LX 881	E
POLYGALACEAE. Milkwort Family Polygala cruciata, Cross-leaved Milkwort Polygala curtissii, Curtiss' Milkwort Polygala incarnata, Pink Milkwort Polygala paucifolia, Gay-wings Polygala polygama, Racemed Milkwort	LZ 883 LZ 884 LZ 536	E E E E
EUPHORBIACEAE. Spurge Family Acalypha rhomboidea var. deamii, Deam's Three-se Mercury Croton glandulosus, Northern Croton Euphorbia polygonifolia, Seaside Spurge Euphorbia purpurea, Glade Spurge Euphorbia serpens, Roundleaf Spurge	LS 886 LS 888 LS 890 🙉 ८४ LS 269	Ε Τ α,C, <i>Co</i> , <i>E,O, Lu</i> P Χ Ε

EUDUODDIAGEAE G	Code No.	<u>0H</u>
EUPHORBIACEAE. Spurge Family (Cont'd.) Phyllanthus caroliniensis, Carolina Leaf-flowerL	S 892	Ε
CALLITRICHACEAE. Water-starwort Family Callitriche deflexa, Austin's Water-starwortN	11 893	Т
Callitriche verna (C. palustris), Water-starwortN	IJ 894 <i>A</i>	Т
ANACARDIACEAE. Sumac Family Rhus aromatica var. arenaria, Beach SumacL Rhus vernix, Poison SumacL	.W 895 .W C70 ∠a	X P
AQUIFOLIACEAE. Holly Family Ilex opaca, American HollyL Nemopanthus mucronata, CatberryL	.Q 896 .Q C71	E P
CELASTRACEAE. Staff-tree Family Euonymus americanus, American Strawberry-bushL Pachistima canbyi, Cliff-greenL		T E
ACERACEAE. Maple Family Acer pensylvanicum, Striped MapleL	.V 001 <i>A</i>	E
RHAMNACEAE. Buckthorn Family Ceanothus herbaceus (C. ovatus), Prairie RedrootL Rhamnus alnifolia, Alder-leaved BuckthornL Rhamnus caroliniana, Carolina BuckthornL	.T 576	E P P
VITACEAE. Grape Family Vitis baileyana, Possum GrapeL Vitis cinerea, Pigeon GrapeL Vitis labrusca, Northern Fox GrapeL	.U C72	E T P
MALVACEAE. Mallow Family Sida hermaphrodita, Virginia MallowK	ID 899	p.
HYPERICACEAE (GUTTIFERAE). St. John's Nort Family Hypericum boreale, Northern St. John's-wort	CC 901 CC 902 CC 903 CC 904 CC C74 CC 905	E T E X E P T T
Hypericum majus, Tall St. John's-Wort	•	T
CISTACEAE. Rockrose Family Helianthemum bicknellii, Plains FrostweedK Helianthemum canadense, Canada FrostweedK Hudsonia tomentosa, Beach-heatherK	K 909	T T X

	Code No.	<u>OH</u>
CISTACEAE. Rockrose Family (Cont'd.) Lechea intermedia, Round-fruited Pinweed Lechea leggettii, Leggett's Pinweed Lechea minor, Thyme-leaf Pinweed Lechea stricta, Prairie Pinweed Lechea tenuifolia, Narrow-leaved Pinweed Lechea villosa, Hairy Pinweed	.KK 910 .KK 911 .KK 912 .KK A46	T T E X E P
VIOLACEAE. Violet Family Viola hirsutula, Southern Wood Violet. Viola lanceolata, Lance-leaved Violet. Viola missouriensis, Missouri Violet. Viola nephrophylla, Northern Bog Violet. Viola pallens, Northern White Violet. Viola pedata, Bird-foot Violet. Viola pedatifida, Prairie Violet. Viola primulifolia, Primrose-leaved Violet. Viola rotundifolia, Round-leaved Violet. Viola tripartita var. glaberrima, Wedge-leaf Violet. Viola tripartita var. tripartita, Three-parted Violet. Viola walteri, Walter's Violet.	.KH 913 .KH 914 .KH 915 <i>E,O</i> .KH 753 .KH 916 .KH 917 .KH 918 .KH 754 .KH 754	P E X T P T X E P T E T
PASSIFLORACEAE. Passion-flower Family Passiflora incarnata, Passion-flower	.KJ 921	7
CACTACEAE. Cactus Family Opuntia compressa (O. humifusa), Prickly Pear	.JM C78	P
ELAEAGNACEAE. Oleaster Family Shepherdia canadensis, Canadian Buffalo-berry	.LL 922	Т
MELASTOMATACEAE. Melastoma Family Rhexia virginica, Virginia Meadow-beauty	.LK 581	Т
ONAGRACEAE. Evening-primrose Family Epilobium angustifolium, Fireweed Epilobium strictum, Simple Willow-herb Oenothera pilosella, Meadow Sundrops Oenothera triloba, Sessile Evening-primrose	.LJ 923 .LJ 925	T T P X
HALORAGACEAE. Water-milfoil Family Myriophyllum exalbescens, American Water-milfoil Myriophyllum heterophyllum, Two-leaved Water-milfoil Myriophyllum verticillatum, Green Water-milfoil	.LF 927	P E X
ARALIACEAE. Ginseng Family Aralia hispida, Bristly Sarsaparilla Aralia spinosa, Devil's-walkingstick Panax quinquefolius, American Ginseng	.L2 C/9	X P P
UMBELLIFERAE (APIACEAE). Parsley Family Chaerophyllum procumbens var. shortii, Short's Chervil Eryngium yuccifolium, Rattlesnake-master	L3 930 L3 932	P T

	Code No.	ОН
UMBELLIFERAE (APIACEAE). Parsley Family (Cont'd.) Hydrocotyle americana, American Water-pennywort Hydrocotyle umbellata, Navelwort Ligusticum canadense, American Lovage Perideridia americana, Perideridia Thaspium pinnatifidum, Cut-leaf Meadow-parsnip	L3 343 L3 933 L3 934 L3 503	P E E E T
CORNACEAE. Dogwood Family Cornus canadensis, Bunchberry Cornus rugosa, Round-leaved Dogwood	LM 935 LM A94 <i>A</i> ,O	T T
PYROLACEAE. Pyrola Family Chimaphila umbellata, Pipsissewa Pyrola secunda, One-sided Wintergreen		T X
ERICACEAE. Heath Family Andromeda glaucophylla, Bog-rosemary Arctostaphylos uva-ursi, Bearberry Chamaedaphne calyculata, Leather-leaf Gaultheria hispidula, Creeping Snowberry. Ledum groenlandicum, Labrador-tea Lyonia ligustrina, Maleberry. Rhododendron calendulaceum, Flame Azalea. Rhododendron maximum, Great Rhododendron Rhododendron nudiflorum, Pinxter-flower. Rhododendron roseum, Northern Rose Azalea Vaccinium atrococcum, Black Highbush Blueberry. Vaccinium caesium, Small Deerberry. Vaccinium macrocarpon, Large Cranberry. Vaccinium myrtilloides, Velvet-leaf Blueberry. Vaccinium oxycoccos, Small Cranberry.	KQ 937 KQ 938 KQ 939 KQ 940 KQ 941 KQ 942 KQ 943 KQ 944 KQ 588 KQ C80 KQ 945 KQ 746 KQ 946	X X P X E X E T T T T E P X E
PRIMULACEAE. Primrose Family Dodecatheon meadia, Shooting-star Hottonia inflata, Featherfoil Trientalis borealis, Star-flower	KW 334	P E P
STYRACACEAE. Storax Family Halesia carolina, Silverbell Styrax americana, Snowbell Styrax grandifolia, Bigleaf Snowbell	KU 948	E E X
OLEACEAE. Olive Family Chionanthus virginicus, Fringe-tree Fraxinus tomentosa, Pumpkin Ash	NN 950 NN 951	E X
GENTIANACEAE. Gentian Family Bartonia virginica, Yellow Bartonia	NB 281 NB 952 A NB 283 A NB C82 NB 953	P E T P P E P

	Code No	<u>0.</u>	<u>0H</u>
GENTIANACEAE. Gentian Family (Cont'd.) Gentiana saponaria, Soapwort Gentian Gentiana villosa, Sampson's Snakeroot Obolaria virginica, Pennywort Swertia caroliniensis, American Columbo	NB 955 NB C83		E E P P
MENYANTHACEAE (GENTIANACEAE). Buckbean Family Menyanthes trifoliata, Buckbean	NB 448		E
APOCYNACEAE. Dogbane Family Apocynum sibiricum (incl. var. cordigerum), Clasping- leaf Dogbane	NC 956	A, E, O, Lu	. Р
ASCLEPIADACEAE. Milkweed Family Asclepias amplexicaulis, Bluntleaf Milkweed			P T
Milkweed Matalea obliqua (Gonolobus obliquus), Angle-pod	ND 957 ND C24		T P
CONVOLVULACEAE. Morning-glory Family Cuscuta compacta, Sessile Dodder Cuscuta coryli, Hazel Dodder Cuscuta glomerata, Glomerate Dodder Cuscuta pentagona, Five-angled Dodder	NE 959 NE 960	0	E T X T
POLEMONIACEAE. Phlox Family Phlox glaberrima, Smooth Phlox Phlox ovata, Mountain Phlox Phlox stolonifera, Creeping Phlox Polemonium reptans var. villosum, Braun's Jacob's-ladder.	NF 963 NF 964		P T P P
HYDROPHYLLACEAE. Waterleaf Family Phacelia bipinnatifida, Fern-leaf Scorpion-weed Phacelia dubia, Small-flowered Scorpion-weed Phacelia ranunculacea, Blue Scorpion-weed	NG 508		T X E
BORAGINACEAE. Borage Family Cynoglossum boreale, Northern Wild Comfrey Lithospermum croceum, Plains Puccoon Myosotis macrosperma, Bristly Scorpion-grass Onosmodium hispidissimum, False Gromwell	NH DLO NH 968	•	E P T P
LABIATAE (LAMIACEAE). Mint Family Collinsonia verticillata (Micheliella verticillata), Early Stoneroot	NL 970 NL 444 NL 971 NL A96	C	E P E T E
Satureja arkansana, Limestone Savory	NL C88	E,D	P
*Asclepias viridiflora, Green Milkweed	ND DK7	D	P

COC	ie No.	<u>U</u>
LABIATAE (LAMIACEAE). Mint Family (Cont'd.)	con	P
Scutellaria integrifolia, Hyssop SkullcapNL	651	r
Scutellaria saxatilis, Rock SkullcapNL		E P
Scutellaria serrata, Showy SkullcapNL	700	
Synandra hispidula, SynandraNL	708	T
Trichostema dichotomum var. lineare (T. setaceum),		_
Narrow-leaved BluecurlsNL	974	E
SCROPHULARIACEAE. Figwort Family		
Agalinis gattingeri (Gerardia gattingeri), Gattinger's		
FoxgloveNP	975	Χ
FoxgloveNP Agalinis paupercula var. paupercula (Gerardia paupercula		
var. paupercula), Small Purple FoxgloveNP		E
Agalinis paupercula var. borealis (Gerardia paupercula		-
var. borealis), Northern Purple FoxgloveNP	976	X
Agalinis skinneriana (Gerardia skinneriana), Skinner's		
FoxgloveNP	977	Ε
Aureolaria pedicularia var. pedicularia (Gerardia		_
pedicularia var. pedicularia), Woodland Fern-leaf		
False Foxglove	978	X
Aureolaria pedicularia var. ambigens (Gerardia	3,0	•
pedicularia var. ambigens), Prairie Fern-leaf		
False FoxgloveNP	978	F
Besseya bullii (Wulfenia bullii), BesseyaNP	979	EXTTTET
Buchnera americana, BlueheartsNP	980	Ť
Gratiola virginiana, Round-fruited Hedge-hyssopNP		÷
Gratiola viscidula var. shortii, Short's Hedge-hyssopNP		Ť
Linaria canadensis, Old-field ToadflaxNP		Ė
Melampyrum lineare, Cow-wheatNP		T
		-
Penstemon canescens, Gray Beard-tongueNP		E
Penstemon laevigatus, Smooth Beard-tongueNP	201	t
Penstemon pallidus, Downy White Beard-tongueNP		X
Penstemon tubaeflorus, White-wand Beard-tongueNP	900	^
Tomanthera auriculata (Gerardia auriculata), Ear-leaf	700	-
FoxgloveNP	722	E
Veronica anagallis-aquatica, Brook-pimpernelNP	C92	P
BIGNONIACEAE. Bignonia Family		_
Bignonia capreolata, Cross-vineNZ	C93	P
OROBANCHACEAE. Broomrape Family		
Orobanche ludoviciana, Louisiana Broom-rapeNQ	989	E
LENTIBULARIACEAE. Bladderwort Family		
Utricularia cornuta, Horned BladderwortNS	990	Ε
Utricularia gibba, Humped BladderwortNS	A59	Ť
Utricularia intermedia, Flat-leaved BladderwortNS	991	T
Utricularia minor, Lesser BladderwortNS	992	Т
ACANTHACEAE. Acanthus Family		
Ruellia caroliniensis, Carolina RuelliaNR	993	P
Ruellia humilis, Low RuelliaNR	611	P
PLANTAGINACEAE. Plantain Family		
Plantago cordata, Heart-leaf PlantainNM	527	Ε

RUBIACEAE. Madder Family	Code No.	<u>OH</u>
*Galium labradoricum, Bog Bedstraw	NU 996 NU C94 E,O	E E T P
CAPRIFOLIACEAE. Honeysuckle Family Linnaea borealis, American Twinflower. Lonicera canadensis, Canada Fly-honeysuckle Lonicera flavida, Pale Yellow Honeysuckle Lonicera oblongifolia, Swamp Fly-honeysuckle Lonicera prolifera, Grape Honeysuckle Lonicera villosa, Mountain Fly-honeysuckle Symphoricarpos albus var. albus, Snowberry Viburnum alnifolium, Hobblebush Viburnum molle, Soft-leaved Arrow-wood Viburnum opulus var. americanum (V. trilobum), Highbush-cranberry Viburnum rufidulum, Southern Black-haw	NV 411NV 997NV 998NV 999NV A01NV A02NV A03NV A04	X P X X T X E P E
VALERIANACEAE. Valerian Family Valeriana ciliata, Prairie Valerian Valeriana uliginosa, Swamp Valerian CAMPANULACEAE. Bellflower Family Campanula rotundifolia, Harebell	NW X23	T X T
COMPOSITAE (ASTERACEAE). Composite Family Artemisia caudata, Beach Wormwood Aster acuminatus, Mountain Aster Aster dumosus, Bushy Aster Aster infirmus, Weak Aster Aster linariifolius, Stiff-leaf Aster Aster oblongifolius, Shale Barren Aster Aster ptarmicoides, Yarrow Aster Aster solidagineus (Sericocarpus linifolius), Na leaved Aster Aster surculosus, Creeping Aster Cacalia muhlenbergii, Great Indian-plantain Chrysogonum virginianum, Golden-knees Cirsium carolinianum, Carolina Thistle Cirsium hillii, Hill's Pasture Thistle	NX K08NX K09 E,ONX O69NX K12NX K13 rrowNX C14NX K15NX K17NX E02NX K18	T X T T P T X T T P E T
Echinacea purpurea, Purple Coneflower Erigeron divaricatus, Bushy Horseweed Eupatorium album, White Thoroughwort Eupatorium aromaticum, Small White Snakeroot Eupatorium hyssopifolium, Hyssop Thoroughwort Eupatorium incarnatum, Pink Thoroughwort Eupatorium rotundifolium (including E. pubescens Roundleaf Thoroughwort	NX K21NX K22NX K23NX K24NX K25	P E E E E P. P
Roundleaf Thoroughwort		X P
Diodia viiginiana, Southern Buttonweed	ULI	Г

-20-	
Code No.	<u>0H</u>
COMPOSITAE (ASTERACEAE). Composite Family (Cont'd.)	_
Helianthus mollis, Ashy Sunflower	Ţ
Helianthus occidentalis, Western SunflowerNX K28	Ţ
Heterotheca mariana (Chrysopsis mariana), Golden-asterNX K30	Р
Heterotheca graminifolia (Chrysopsis graminifolia),	-
SilkgrassNX K29	E
Hieracium canadense, Canada HawkweedNX K31	E X
Hieracium marianum, Maryland HawkweedNX K32	^ _
Hymenoxys acaulis (Actinea herbacea), Lakeside DaisyNX K33 O	E E
Krigia dandelion, Potato-dandelion	Ť
Krigia virginica, Dwarf DandelionNX K35 Kuhnia eupatorioides (including varieties; Brickellia	•
eupatorioides), False BonesetNX K16 C	P
Liatris cylindracea, Slender Blazing-starNX E10	Ť
Liatris novae-angliae (L. novae-angliae var. nieuwlandii	·
= X L. nieuwlandii in Fernald 1950), New England	
Blazing-starNX A64	T
Liatris scabra, Large Blazing-starNX K36	Ε
Liatris squarrosa, Scaly Blazing-starNX K37	Ţ
Megalodonta beckii, Water-marigoldNX K38	Χ
Pluchea camphorata, CamphorweedNX A65	Х
Prenanthes aspera, Rough Rattlesnake-rootNX K39	χ
Prenanthes crepidinea, Nodding Rattlesnake-rootNX K40	Ţ
Prenanthes racemosa, Prairie Rattlesnake-rootNX K41	Ţ
Senecio pauperculus, Balsam Squaw-weedNX 659 €,○	P
Silphium laciniatum, Compass-plantNX E13	E
Solidago arguta, Cut-leaf GoldenrodNX K42	E J
Solidago odora, Sweet Goldenrod	J. P
Solidago ohioensis, Ohio GoldenrodNX K44	Ť
Solidago remota, Great Lakes GoldenrodNX K45	P
Solidago riddellii, Riddell's GoldenrodNX K46 O	P
Solidago rigida, Stiff GoldenrodNX K47 モ,の Solidago squarrosa, Leafy GoldenrodNX 683	Ť
Verbesina helianthoides, Hairy Wing-stemNX K48	P
Verbesina occidentalis, Yellow CrownbeardNX K49	Ë
Vernonia fasciculata. Prairie IronweedNX K50	Ē

APPENDIX C COUNTY LISTS OF RARE PLANTS OF THE COASTAL ZONE

ASHTABULA COUNTY

<u>Ohio Status</u>	<u>Scientific Name</u>	Common Name
E T P T E T T P P T P	Acer pensylvanicum Ammophila breviligulata Apocynum sibiricum Artemisia caudata Cakile edentula Var. lacustris Callitriche verna Carex aquatilis Carex aurea Claytonia caroliniana Cornus rugosa Cyperus schweinitsii Euphorbia polygonifolia Gentiana clausa Gentiana crinita	Striped Maple American Beach Grass Clasping-leaf Dogbane Beach Wormwood Inland Sea-rocket Water-starwort Leafy Tussock Sedge Golden-fruited Sedge Carolina Spring-beauty Round-leaved Dogwood Schweinitz's Umbrella-sedge Seaside Spurge Closed Gentian Fringed Gentian
T T P P P P P	Juncus alpinus Juncus balticus Lathyrus maritimus Liparis loeselii Myriophyllum exalbescens Najas flexilis Potamogeton epihydrus Potamogeton richardsonii Potentilla anserina Sporobolus cryptandrus Triplasis purpurea Vallisneria americana	Alpine Rush Baltic Rush Inland Beach-pea Fen Orchid American Water-milfoil Slender Naiad Nuttall's Pondweed Richardson's Pondweed Silverweed Sand Dropseed Purple Sand-grass Eel-grass

LAKE COUNTY

Ohio Status	Scientific Name	Common Name
T T P P E P T P P P P	Amelanchier laevis Ammophila breviligulata Arabis lyrata Cakile edentula Var. lacustris Carex aquatilis Euphorbia polygonifolia Lathyrus martimus Myriophyllum exalbescens Panax quinquefolius Potamogeton natans Potentilla anserina Rhus vernix Sporobolus cryptandrus Triplasis purpurea Vallisneria americana	Allegheny Serviceberry American Beach Grass Lyre-leaf Rock-cress Inland Sea-rocket Leafy Tussock Sedge Seaside Spurge Inland Beach-pea American Water-milfoil American Ginseng Floating Pondweed Silverweed Poison Sumac Sand Dropseed Purple Sand-grass Eel-grass
	CUYAHOGA COUNTY	
T P P P T T E P P	Ammophila breviligulata Artemisia caudata Cakile edentula Var. lacustris Cyperus schweinitzii Euphorbia polygonifolia Gentiana quinquefolia Kuhnia eupatorioides Lathyrus maritimus Leptoloma cognatum Monarda punctata Potentilla anserina Sporobolus cryptandrus Triplasis purpurea Vallisneria americana	American Beach Grass Beach Wormwood Inland Sea-rocket Schweinitz's Umbrella-sedge Seaside Spurge Stiff Gentian False Boneset Inland Beach-pea Fall Witch-grass Dotted Horsemint Silverweed Sand Dropseed Purple Sand-grass Eel-grass
	LORAIN COUNTY	
P P P	Cakile edentula var. lacustris Euphorbia polygonifolia Triplasis purpurea	Inland Sea-rocket Seaside Spurge Purple Sand-grass

ERIE COUNTY

Ohio Status	Scientific Name	Common Name
T	Ammophila breviligulata	American Beach Grass
Ρ̈́	Apoeynum sibiricum	_
Ť	Artemisia caudata	Clasping-leaf Dogbane Beach Wormwood
Ť	Aster dumosus	
P		Bushy Aster
P	Betula populifolia Cakile edentula var. lacustris	Gray Birch
, T		Inland Sea-rocket
P	Campanula rotundifolia Carex eburnea	Harebell
Ť	Carex lasiocarpa	Bristle-leaf Sedge
P	Carex trichocarpa	Slender Sedge
T	Carex viridula	Hairy-fruited Sedge
Ť	Cyperus diandrus	Little Green Sedge
P		Low Umbrella-sedge
P	Cyperus engelmannii Cyperus schweinitzii	Engelmann's Umbrella-sedge
Ť		Schweinitz's Umbrella-sedge
þ	Desmodium pauciflorum Eleocharis compressa	Few-flowered Tick-trefoil
, T	Eleocharis elliptica	Flat-stem Spikerush
P		Yellow-seeded Spikerush
P	Euphorbia polygonifolia	Seaside Spurge Yellow Avens
, T	Geum aleppicum Helianthemum bicknellii	Plains Frostweed
Ť		Narrow-leaved Summer Bluets
Ť	Houstonia nigricans Hypericum majus	Tall St. John's-wort
	ingperteum mujus Iris brevicaulis	
E T	Juncus alpinus	Leafy Blue Flag Alpine Rush
τ̈́	Juncus scirpoides	False Bulrush
Ť	Juncus secundus	One-sided Rush
P	Liparis loeselii	Fen Orchid
P	Lophotocarpus calycinus	Southern Wapato
P	Myriophyllum exalbescens	American Water-milfoil
P	Najas flexilis	Slender Naiad
Ť	Polygonum pensylvanicum var. eglandulosum	Lake Erie Pinkweed
P	Potentilla anserina	Silverweed
Ť	Potentilla paradoxa	Bushy Cinquefoil
Ť	Ranunculus fascicularis	Early Buttercup
Ť	Rosa blanda	Smooth Rose
P	Rubus idaeus var. strigosus	Wild Red Raspberry
T	Sagittaria cuneata	Wapato
P	Satureja arkansana	Limestone Savory
Ţ	Scleria verticillata	Low Nut-rush
P	Senecio pauperculus	Balsam Squaw-weed
T	Sisyrinchium montanum	Northern Blue-eyed-grass
T	Sisyrinchium mucronatum	Narrow-leaved Blue-eyed-grass
P	Solidago rigida	Stiff Goldenrod
Ţ	Spiranthes magnicamporum	Great Plains Ladies'-tresses
P	Sporobolus cryptandrus	Sand Dropseed
P	Triplasis purpurea	Purple Sand-grass
P	Vallisneria americana	Eel-grass
Ţ	Viola nephrophylla	Northern Bog Violet

OTTAWA COUNTY

Ohio Status	Scientific Name	Common Name
Р	Agropyron trachycaulum	Bearded Wheat Grass
T	Ammophila breviligulata	American Beach Grass
T	Anemone cylindrica	Prairie Thimbleweed
Р	Apocynum sibiricum	Clasping-leaf Dogbane
E	Arabis drummondii	Drummond's Rock-cress
T	Arabis hirsuta var. pycnocarpa	Western Hairy Rock-cress
T	Arenaria stricta	Rock Sandwort
T	Artemisia caudata	Beach Wormwood
Р	Asclepias viridiflora	Green Milkweed
Ţ	Aster dumosus	Bushy Aster
<u>P</u>	Cakile edentula var. lacustris	Inland Sea-rocket
<u>T</u>	Campanula rotundifolia	Harebell
Ţ	Carex atherodes	Wheat Sedge
Ē	Carex aurea	Golden-fruited Sedge
P	Carex brevior	Tufted Fescue Sedge
Ţ	Carex crawei	Crawe's Sedge
P	Carex eburnea	Bristle-leaf Sedge
P	Carex lupuliformis	False Hop Sedge
P	Carex muhlenbergii	Muhlenberg's Sedge
E -	Carex sprengelii	Sprengel's Sedge
Ţ	Carex viridula	Little Green Sedge
E	Ceanothus herbaceus	Prairie Redroot
P	Celtis tenuifolia	Dwarf_Hackberry
Ţ	Ceratophyllum echinatum	Prickly Hornwort
E T	Chenopodium leptophyllum	Slender Goosefoot
	Cladium mariscoides	Twig-rush
T T	Cornus rugosa	Round-leaved Dogwood
Ţ	Corydalis sempervirens	Rock-harlequin
Ţ	Cuscuta coryli	Hazel Dodder
Ţ	Cyperus diandrus	Low Umbrella-sedge
P	Cyperus engelmannii	Engelmann's Umbrella-sedge
P	Cyperus schweinitzii	Schweinitz's Umbrella-sedge
P P	Descurainia pinnata	Tansy-mustard
T	Eleocharis compressa	Flat-stem Spikerush
Ť	Eleocharis intermedia Eleocharis olivacea	Matted Spikerush Olivaceous Spikerush
P	Equisetum variegatum	Variegated Scouring-rush
P	Euphorbia polygonifolia	Seaside Spurge
Ť	Geum rivale	Water Avens
Ť	Houstonia nigricans	Narrow-leaved Summer Bluets
Ė	Hymenoxys acaulis	Lakeside Daisy
E T	Hypericum majus	Tall St. John's-wort
T	Juncus alpinus	Alpine Rush
T	Juncus balticus	Baltic Rush
Ε	Juncus interior	Interior Rush
P	Lilium philadelphicum	Wood-lily
Р	Linum sulcatum	Grooved Flax
Р	Liparis loeselii	Fen Orchid
Р	Lophotocarpus calycinus	Southern Wapato
P	Myriophyllum exalbescens	American Water-milfoil
P	Najas flexilis	Slender Najad
E	Nuphar variegatum	Bullhead Lily

OTTAWA COUNTY (Continued)

Ohio Status	Scientific Name	Common Name
Χ	Platanthera leucophaea	Prairie Fringed Orchid
Ť	Polygonum pensylvanicum var. eglandulosum	Lake Erie Pinkweed
Ë	Polygonum ramosissimum	Bushy Knotweed
- F	Populus balsamifera	Balsam Poplar
E E	Potamogeton filiformis	Filiform Pondweed
Ţ	Potamogeton natans	Floating Pondweed
Ť	Potamogeton richardsonii	Richardson's Pondweed
Ť	Potamogeton zosteriformis	Flat-stem Pondweed
P	Potentilla anserina	Silverweed
	Potentilla arguta	Tall Cinquefoil
E T	Potentilla paradoxa	Bushy Cinquefoil
Т	Ranunculus fascicularis	Early Buttercup
T	Rosa blanda	Smooth Rose
T	Sagittaria cuneata	Wapato
T	Sagittaria graminea	Grass-leaf Arrowhead
P	Salix bebbiana	Long-beaked Willow
P	Satureja arkansana	Limestone Savory
T	Scirpus purshianus	Pursh's Bulrush
Ë	Scirpus smithii	Smith's Bulrush
P	Senecio pauperculus	Balsam Squaw-weed
Ť	Sisyrinchium mucronatum	Narrow-leaved Blue-eyed-grass
P	Solidago riddellii	Riddell's Goldenrod
Р	Solidago rigida	Stiff Goldenrod
Ţ	Spiranthes magnicamporum	Great Plains Ladies'-tresses
Р	Sporobolus cryptandrus	Sand Dropseed
Ε	Symphoricarpus albus var. albus	Snowberry
P	Thuja occidentalis	Arbor Vitae
Р	Triplasis purpurea	Purple Sand-grass
P	Vallisneria americana	Eel-grass
T	Viola nephrophylla	Northern Bog Violet
Р	Vitis labrusca	Northern Fox Grape
T	Zizania aquatica	Wild Rice

LUCAS COUNTY

Ohio Status	Scientific Name	Common Name
T T P E P T P P P F E E X T P T T P T P P P	Ammophila breviligulata Anemone cylindrica Apocynum sibiricum Arabis divaricarpa Cakile edentula Var. lacustris Cyperus diandrus Cyperus engelmannii Cyperus schweinitzii Eleocharis compressa Eleocharis intermedia Euphorbia polygonifolia Geum aleppicum Lophotocarpus calycinus Muhlenbergia cuspidata Nuphar variegatum Platanthera leucophaea Potamogeton natans Potentilla anserina Potentilla paradoxa Sagittaria cuneata Salix bebbiana Sparganium androcladum Sporobolus cryptandrus Triplasis purpurea Vallisneria americana	American Beach Grass Prairie Thimbleweed Clasping-leaf Dogbane Limestone Rock-cress Inland Sea-rocket Low Umbrella-sedge Engelmann's Umbrella-sedge Schweinitz's Umbrella-sedge Flat-stem Spikerush Matted Spikerush Seaside Spurge Yellow Avens Southern Wapato Plains Muhlenbergia Bullhead Lily Prairie Fringed Orchid Floating Pondweed Silverweed Bushy Cinquefoil Wapato Long-beaked Willow Keeled Bur-reed Sand Dropseed Purple Sand-grass Eel-grass
	SANDUSKY COUNTY	
P E	Descurainia pinnata Juncus interior	Tansy-mustard Inland Rush

WOOD COUNTY

None

APPENDIX D
OHIO PLANTS OF FEDERAL CONCERN

OHIO PLANTS OF FEDERAL CONCERN

Summarized by the
Division of Natural Areas and Preserves
Ohio Department of Natural Resources
Fountain Square, Bldg. F
Columbus, Ohio 43224

KEY

Federal Status: (From Federal Register, Vol. 45, No. 242, December 15, 1980)

- T = Species currently listed as threatened by U.S. Fish & Wildlife Service
- 1 = F&WS presently has sufficient information on hand to support the biological appropriateness of taxa being listed as endangered or threatened species. Development of proposed and final rules may require several years.
- 2 = F&WS currently has information which indicates the probable appropriateness of listing as endangered or threatened, but sufficient information is not presently available to biologically support a proposed rule. Further biological research will usually be necessary to determine status of the taxa.

STATE STATUS

- E = State of Ohio Endangered Species, from criteria in Ohio Administrative Rule 1501:18-1-02, effective July 14, 1980.
- T = State of Ohio Threatened Species, from criteria in Ohio Administrative Rule 1501:18-1-02, effective July 14, 1980.
- X = A native Ohio plant species presumed extirpated from the state.
- P = A native Ohio plant species designated as potentially threatened, from criteria listed in "Rare Species of Native Ohio Wild Plants", DNAP, March, 1980.

Federal Status	State Status	Scientific Name	Common Name(s)
T	Ε	Aconitum noveboracense	Northern Wild Monkshood
2	X	Besseya bullii	Besseya
1	E	Calamagrostis insperata	Ofer Hollow Reed Grass Bartley's Reed Bent Grass
1	E	Hymenoxys acaulis Var. glabra	Lakeside Daisy
2	E	Paxistima canbyi	Cliff-green
1	Е	Plantago cordata	Heart-leaved Plantain Heart-leaf Plantain
. 1	Х*	Platanthera leucophaea	Prairie White-fringed Orchid Prairie Fringed Orchid
2	Х	Poa paludigena	Blue Grass Marsh Spear-grass
2	Р	Polemonium reptans var. villosum	Jacob's Ladder Braun's Jacob's-ladder
2	X	Potamogeton hillii	Hill's Pondweed
2	х**	Rhus trilobata var. arenaria Synonym Rhus aromatica var. arenaria)	Sumac Beach Sumac
2	E	Silene regia	Royal Catchfly
1	Р	Sullivantia sullivantii	Sullivantia
2	Т	Synandra hispidula	Synandra
1	E	Trollius laxus SSP. laxus	Spreading Globe-flower
2	Х	Valeriana uliginosa	Swamp Valerian

^{*} Ohio populations discovered in 1980. Official Ohio list will be amended in 1981 to reclassify species to endangered status.

^{**} Possible Ohio populations discovered, which will be verified by June 1981.

APPENDIX E

ADMINISTRATIVE RULES FOR O.R.C. CHAPTER 1518

1501:18-2-04. Legally Obtained Plants. Any nurseryman, dealer, or individual who has legally obtained any native species of wild plants listed as endangered or threatened in Rules 1501:18-1-03 and 1501:18-1-04 of the Administrative Code from another state or commercial propagator shall provide proof upon demand that said plants were legally acquired.

1501:18-2-05. Exceptions. Nothing herein shall be interpreted in such a manner as to prevent any nurseryman or dealer who is licensed under Chapter 927. of the Revised Code from selling, offering for sale, shipping, or otherwise disposing of any endangered or threatened species of plants or parts thereof when such plants have been commercially grown by a licensed nursery or legally imported into this state. Furthermore, nothing herein shall prohibit a person from willfully rooting up, injuring, destroying, removing, taking, or possessing an endangered or threatened plant from his property or from the property of another when said person has written permission of the owner, lessee, or other person entitled to possession.

Adopted: July 1, 1980 Fifective: July 14, 1980

Administrative Rules for Ohio Revised Code Chapter 1518 "Ohio Endangered Plant Law"

These rules implement Ohio Revised Code Chapter 1518, which became effective on August 23, 1978 after passage of Amended Substitute House Bill No. 908 on April 25, 1978. Rules 1501:18-1-03 and 1501:18-1-04 identify the species designated as endangered and threatened and are available separately from this material. The species lists may be requested from the Division of Natural Areas and Preserves, Ohio Department of Natural Resources, Fountain Square, Columbus, Ohio 43224.

1501:18-1-01. Definitions. As used in rules 1501:18-1-01 to 1501:18-2-05 of the Administrative Code:

- (A) "Commercial Purposes" means with intent to sell or trade for gain or profit.
- (B) "Commercially Grown" means grown under cultivation in tilled plots or in a greenhouse.
- (C) "Division" means the Ohio Department of Natural Resources, Division of Natural Areas and Preserves.
- (D) "Endangered Species" means a native Ohio plant species whose natural population(s) are in immediate danger of extirpation from Ohio, and/or any federal endangered plant species in Ohio.
- (E) "Chief" means Chief of the Division of Natural Areas and Preserves.
- (F) "Federal Endangered Species" means all species native to this state which are listed as endangered on the United States list of endangered and threatened wildlife and plants pursuant to the Endangered Species Act of 1973, 87 Stat. 884, 16 U.S.C. 1531, as amended.
- (G) "Federal Threatened Species" means all species native to this state which are listed as threatened on the United States list of endangered and threatened wildlife and plants pursuant to the Endangered Species Act of 1973, 87 Stat. 884, 16 U.S.C. 1531, as amended.
- (H) "Native Habitat" means the environment in which a species could exist as a natural population.
- "Native Species" means a species which, by accepted scientific evidence, was present in Ohio immediately prior to European exploration and settlement.

- (J) "Natural Population" means one or more plants of a single species which, by lack of contrary evidence, were apparently established in a given area through dispersal by natural means, excluding dispersal by humans, human transportation systems, or planting by humans.
- (K) "Person" means any individual, firm, partnership, corporation, company, association, or any combination of individuals, or any employee, agent, or officer thereof.
- (L) "Plant" means any member of the plant kingdom, including but not limited to: roots; stems, including bulbs, corms, tubers, rhizomes, stolons, and other stem forms; leaves; flowers; fruits; cones; seeds; spores; and gametophytes.
- (M) "Species" means a species, subspecies or variety.
- (N) "Threatened Species" means a native Ohio plant species likely to become an endangered species in Ohio within the foreseeable future, and/or any federal threatened plant species in Ohio not on the state endangered species list.
- (O) "Wild Plant" means an individual member of a natural plant population.

1501:18-1-02. Designation Criteria. The following criteria shall be used for identifying and designating species of plants native to Ohio which are in danger of extirpation or which are threatened with becoming endangered.

- (A) Endangered Species. A native Ohio plant species may be designated endangered if, based on its known status in Ohio, one or more of the following criteria applies:
 - (1) The species is a federal endangered species extant in Ohio.
 - (2) The natural populations of the species in Ohio are limited to three or fewer sites, each of which is one square mile or less in area and is separated from each of the other sites by at least two linear miles.
 - (3) The distribution of the natural populations of the species in Ohio is limited to a geographic area delineated by one or two United States Geological Survey 7.5 minute quadrangle maps.
 - (4) The total number of plants in all the natural populations of the species in Ohio is limited to one hundred or fewer individual, physically unconnected plants.
- (B) Threatened Species. A native Ohio plant species may be designated threatened if, based on its known status in Ohio, one or more of the following criteria applies:
 - (1) The species is a federal threatened species extant in Ohio but not on the state endangered species list.
 - (2) The natural populations of the species in Ohio are limited to no less than four nor more than ten sites, each of which is one square mile or less in area and is separated from each of the other sites by at least two linear miles.
 - (3) The distribution of the natural populations of the species in Ohio is limited to a geographic area delineated by no less than three nor more than five United States Geological Survey 7.5 minute quadrangle maps.
- (C) Rules 1501:18-1-03 and 1501:18-1-04 of the Administrative Code shall be amended at least biennially to add or delete species to or from the endangered or threatened species lists as new data warrant.

1501:18-1-03. Endangered Species. The following species of plants are designated in danger of extirpation from the state:

(see species list)

1501:18-1-04. Threatened Species. The following native species of plants are designated as threatened with becoming endangered in the state:

(see species list)

1501:18-2-01. Commercial Taking of Plants. It shall be unlawful for any person to take native species of wild plants or parts thereof that are listed as endangered by rule 1501:18-1-03 of the Administrative Code, or threatened by rule 1501:18-1-04 of the Administrative Code, for commercial purposes from any woodlot, field, or forest, or from any other location in which such plant is found growing in its native habitat.

1501:18-2-02. Collecting Endangered and Threatened Plants. It shall be unlawful for any person to take, possess or transport for botanical, educational and scientific purposes, or for propagation in captivity to preserve the species, any native Ohio species of wild plants or parts thereof, that are listed as endangered by rule 1501:18-1-03 of the Administrative Code or threatened by rule 1501:18-1-04 of the Administrative Code without first obtaining a permit from the Chief of the division. Nothing in this rule shall prohibit the taking or possession of species listed on the "United States List of Endangered and Threatened Wildlife and Plants" for botanical, education, or scientific purposes, or for propagation in captivity to preserve the species, under a permit or license from the United States or any instrumentality thereof.

1501:18-2-03. Collecting Permits.

- (A) All persons requesting a permit for the taking, transporting or possession of any native species of wild plants listed as endangered or threatened with statewide extirpation for botanical, educational, or scientific purposes, or for propagation in captivity to preserve the species, shall at the time of application for such permit provide the following information in writing to the Chief:
 - (1) A program or project description with a clear statement of study objectives.
 - (2) Justification of the study.
 - (3) Project location.
 - (4) Duration of study.
 - (5) Species and number of specimens to be collected or involved in the study.
 - (6) Assurance that a final or annual report will be filed with the division, containing a clear statement of the final disposition of each individual specimen along with a copy of any published papers resulting from the study of these plants.
- (B) A permit shall be valid for a period not to exceed one year, but may be renewed at the discretion of the Chief.
- (C) Persons failing to provide full information required in paragraph (A) of this rule to the satisfaction of the Chief shall be denied a permit.
- (D) Failure to meet the requirements of the permit at the conclusion of the project shall be reason for the Chief not to issue future permits to the person failing to comply.
- (E) A permit must be displayed upon demand to any law enforcement officer having jurisdiction.

APPENDIX F

DATA SERVICES BROCHURE AND APPLICATION FORM

need to acquire written permission to publish information provided by the Heritage Program, and a requirement that the Division be given credit as the information source.

The Heritage staff will review the Data Request Form and will contact the prospective data user to answer any questions. A decision will be made about the level of detail necessary to adequately fulfill the data user's needs. A cost estimate for the data search can be given at this time if requested. This program does not charge for data services which result in no data being made available to the user. Charges for services rendered are made in order to recover actual costs to the Division of Natural Areas and Preserves.

The requested information will be retrieved from the Heritage data systems using the most cost-efficient methods, and will be provided to the user with specified restrictions. If the application for access to data is denied, a written explanation will be provided.

Information will not be provided by telephone or to drop-in visitors. Normally, data can be provided to users within two weeks of receipt of the Data Request Form.

Fee Structure for Heritage Services

Charges for services rendered are made in order to recover actual costs to the Division of Natural Areas and Preserves.

DATA USER Governmental Agencies - local, regional, state, federal.

Non-Gov't. Agen- \$12 per hour. cies, Organizations, Individuals.

MANUAL SEARCHES

No charge for first \$25 base fee + hour per month; 2¢/line for first thereafter \$10 per 300 lines; thereafter 1¢ per line. hour.

\$30 base fee + 2¢/line first 300 lines: thereafter 1¢ per line.

COMPUTER

SEARCHES

If no information is available on a search request, there will be no charge to the data user. Otherwise, minimum charge will be for one hour's work, except where a memorandum of agreement is involved. Heritage staff will determine the most costefficient search procedures for individual data user requests.

Memoranda of Agreement

Written agreements can be negotiated to offset fees for services. Data users providing useful information to the Heritage Program can obtain reduced or deferred fees. Contact the Heritage Administrator for details.

Billing Procedure

No prepayment is necessary for governmental agencies. Prepayment may be required for non-government data users. Invoices normally will be provided along with the data. Data users should indicate cost limitations they wish to place on requests for data. Fee estimates can be given prior to initiating searches.

FOR FURTHER INFORMATION, CONTACT: Natural Heritage Program Division of Natural Areas & Preserves Fountain Square, Building F Columbus, Ohio 43224 Phone: 614/466-8970

JAMES A. RHODES Governor

ROBERT W. TEATER Director

Division of Natural Areas & Preserves


NATURAL

Division of Natural Areas & Preserves

Division of Natural Areas & Preserves

HERITAGE

Division of Natural Areas & Preserves



Division of Natural Areas & Preserves

Division of Natural Areas & Preserves

Division of Natural Areas & Preserves

STRVICES

Division of Natural Areas & Preserves



Data Services

4 f) 🐾

In the summer of 1976, the Ohio Department of Natural Resources, in conjunction with The Nature Conservancy, established the Natural Heritage Program to systematically identify and help protect significant natural areas, high quality plant communities, rare species and unique geologic features. The Nature Conservancy operated the Natural Heritage Program until October 1977, when the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, assumed sole management.

A variety of individuals, institutions and organizations contributed biological data to the program, and while this information was provided free of charge, a substantial amount of time and money was necessary to process it into its current useable format. In all cases, information was supplied in the belief it would be used to help protect the rare and endangered plants, animals and associated natural features of Ohio. In some instances, locational information about rare and endangered species was provided, with the understanding that it would not be published or released for public distribution. These agreements of confidentiality with the individuals and institutions that contributed information must be honored.

If data users recognize that the purpose of the Natural Heritage Program is to protect these species and features, they will better understand why the program staff must carefully control the use of Heritage information. This does not mean the information is unavailable. In most cases. data can be provided for specific research projects, development or review of environmental impact statements, and other legitimate uses. However, data users must also realize that publication of exact locational information may not aid the protection of an endangered species, but may, in fact, contribute to its destruction. For example, publication of exact locations

for attractive, but endangered wildflowers may lead collectors to these sites. Such sensitive information is best restricted from publication.

The program's data management system includes manual and computer files which store pertinent information on rare and endangered species, plant communities and unique natural features. This is not a complete listing of all rare species, communities and natural features found in Ohio, but is Ohio's most complete single source of existing natural heritage information.

Sound environmental decisions cannot be made in ignorance of the facts. The Natural Heritage Program can provide some basic information needed to make better use of our natural resources, while maintaining the heritage of our natural diversity for future generations to enjoy.

What data are available?

Heritage data are grouped by class. According to the needs of the data user, locational information on U.S.G.S. topographic maps can be withdrawn for all classes, individual class, or parts of classes. The following breakdown summarizes each class:

SPECIAL PLANTS (560± SPECIES)

- Species with Federal status.
- Ohio Endangered and Threatened Plants (state official status).
- Plants having no legal status but considered potentially threatened in Ohio.

SPECIAL ANIMALS (175± SPECIES)

- Species with Federal status.
- Ohio Endangered Wild Animals (state official status).
- Animals having no legal status, but considered rare in Ohio.

PLANT COMMUNITIES (65± Community types) Native plant communities of high quality.

GEOLOGIC FEATURES (40± Features) Unique or high quality geologic features which

should be preserved for scientific and educational purposes.

REGISTRY - Information on State Nature Preserves; public or privately owned natural areas; and state wild, scenic and recreational rivers.

OTHER - A catchall class which includes information on bird roosts and rookeries, breeding animal populations and champion sized trees. These are natural features of statewide significance, but lack legal status.

In what format are the data available?

The manual, map and computer data systems are flexible and allow for searches which can include a number of variables. Computer printouts can be obtained for the following search criteria:

- Geographic Area County, physiographic region, watershed, subwatershed, topographic quad, or managed area. Manual searches can provide information for areas smaller than U.S.G.S. topographic maps or areas which include portions of topographic maps.
- **2.** Species Individual species, groups of species, taxonomically related species.
- 3. Plant community type wetlands.
- **4.** Status Degree of endangerment or other special status. (For example, legal status only).
- 5. Date of Information.
- 6. Ownership.

Application Procedure

Prospective data users should obtain Data Request Forms from:

Heritage Data Services Division of Natural Areas & Preserves Fountain Square, Building F-1 Columbus, Ohio 43224

These forms request detailed information about the planned use of the data and require the data user to agree to certain restrictions. These restrictions include the

NATURAL HERITAGE PROGRAM DATA REQUEST FORM

•	A letter formally requesting information from the Natural Heritage Program. Preliminary reports and maps detailing study area.
DATE	
WHO IS REQUESTING T	HE INFORMATION?
Agency	
Name and Title	
Address	
Phone	
	GRAM IS THE INFORMATION FOR? IF THERE IS A CONTRACTING AGENCY, DDRESS, PHONE NUMBER OF CONTACT PERSON.
For which grou Please check approp	ps in your study area do you want locational information? riate boxes.
Plants -	Federal Status only State Legal Status only (endangered & threatened) Potentially Threatened (non-legal status)
Animals -	<pre>Federal Status only State Legal Status (endangered) only Rare (non-legal)</pre>
Plant Communit	ies All Wetlands only Other (please specify)
Geologic Featu	res All
Other -	(please specify)
Registry -	All State Nature Preserves Natural Areas State Wild, Scenic and Recreational Rivers Other (please specify)

(over)

BESIDES NAME, LOCATION, AND STATUS, PLEASE SPECIFY ANY ADDITIONAL INFORMATION YOU MAY REQUIRE.
DESCRIBE THE LEVEL OF LOCATIONAL ACCURACY NECESSARY FOR YOUR PROJECT.
HOW WILL THE INFORMATION BE USED?
IN WHAT FORM AND DETAIL DO YOU WISH TO PUBLISH THIS INFORMATION?
The information supplied above is complete and accurate. Any material supplied by the Natural Heritage Program will not be published without prior written permission and without crediting the Division of Natural Areas and Preserves as the source of the material.
Signature

Return completed form to: Heritage Data Services, Division of Natural Areas & Preserves, Ohio Department of Natural Resources, Fountain Square, Building F, Columbus, Ohio 43224. Phone 614/466-8970.